## APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing	in State Engineer's Office	AR 1 7 1995	2 4	
Returned to a	pplicant for correction	**************************************	,	
Corrected app	plication filed			
Map filedM	IAR 1 7 1995	***************************************	<del></del>	· · ·
٠				
The appl	icant American Co	lloid Company	*	
44200	Austin Hwy. Street and No. or P.O. Box No.	, of	Fallo Cit	n y or Town
NV 89	•			nission to appropriate the publ
waters of the	State of Nevada, as hereinafter s			
copartnership	or association, give names of	members.)		
	porated-Delaware 1927			
			: .	
1. The sour	ce of the proposed appropriation	n is Under	round Name of stream, lake, spring, a	nderground or other source
2. The amo	ount of water applied for is	.0223	<u> </u>	second-fe
	red in reservoir give number of			•
	•		1	
3. The water	er to be used for Indus	Irrigation, power, mining,	manufacturing, domestic, or othe	r use. Must limit to one use.
4. If use is	for:	<u>'</u>		
(à) Irriga	ntion, state number of acres to b	e irrigated		
(b) Stock	water, state number and kinds	of animals to be war	tered	
(c) Other	r use (describe fully under No.	12. "Remarks"	•	
(d) Powe	er:		•	
	•		!	
	Horsepower developed		i	•
•	Point of return of water to stream		•	
	er is to be diverted from its sour		Describe as	penig within a 40 acre proprietion or bear
Secti survey, and	on 33, Township 17 Nor by course and distance to a section corner. I	th, Range 36 I f on unsurveyed land, it sho	dast, MDB&M beari	ng N 53° 41' 00" West
a dis	tance of 1227.35 feet	to the W% corr	ver of Section 33	, T 17 N, R 36 E,
	use a portion of the N	Wh of the SWh	of Section 33, T	17 N, R 36 E, MDB&M
•				toe so stated.
	·			······································
	-	<del></del>		
	······································		<del>;</del>	
7. Use will	begin about Jan. 1	st and end ab	out Dec.	31st, of each year.
	ion of proposed works. (Under			
specifica	tions of your diversion or storag	ge works.) drille	ed well with pump	and lHP motor and
-	l. pressure tank	·		diverted, i.e. diversion structure, ditches at
flumes, drill	ed well with pump and motor, etc.			

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or anni consumptive use:    By
11. Estimated time required to complete the application of water to beneficial use. three. (3) years.  12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or anni consumptive use:    By
12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or anni consumptive use:    By
By s/Steven N. Bell Steven N. Bell P.O. Box 84, Fallon, NV 89407 February 28, 1995  Protested.  APPROVAL OF STATE ENGINEER  This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to to following limitations and conditions: This permit is issued subject to existing rights. It understood that the amount of water herein granted is only a tempora allowance and that the final water right obtained under this perm will be dependent upon the amount of water actually placed beneficial use. It is also understood that this right must allow fa reasonable lowering of the static water level. This well shall equipped with a two (2) inch opening for measuring depth to water. the well is flowing, a valve must be installed and maintained prevent waste. A totalizing meter must be installed and maintained the discharge pipeline near the point of diversion and accura measurements must be kept of water placed to beneficial use. Totalizing meter must be installed before any use of water begins, before the Proof of Completion of Work is filed. This source located within an area designated by the State Engineer, pursuant NRS 534.030. The State retains the right to regulate the use of t water herein granted at any and all times.
By s/Steven N. Bell Steven N. Bell P.O. Box 84, Fallon , NV 89407 February 28, 1995  Protested.  APPROVAL OF STATE ENGINEER  This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to to following limitations and conditions:  This permit is issued subject to existing rights. It understood that the amount of water herein granted is only a tempora allowance and that the final water right obtained under this perm will be dependent upon the amount of water actually placed beneficial use. It is also understood that this right must allow f a reasonable lowering of the static water level. This well shall equipped with a two (2) inch opening for measuring depth to water. the well is flowing, a valve must be installed and maintained prevent waste. A totalizing meter must be installed and maintained the discharge pipeline near the point of diversion and accura measurements must be kept of water placed to beneficial use. T totalizing meter must be installed before any use of water begins, before the Proof of Completion of Work is filed. This source located within an area designated by the State Engineer, pursuant NRS 534.030. The State retains the right to regulate the use of twater herein granted at any and all times.
Compared sm/jk  Cl/cms  Cl/cms  Cl/cms  Steven N. Bell  P.O. Box 84, Fallon , NV 89407  February 28, 1995  Protested  APPROVAL  OF STATE ENGINEER  This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to to following limitations and conditions:  This permit is issued subject to existing rights. It understood that the amount of water herein granted is only a tempora allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed beneficial use. It is also understood that this right must allow f a reasonable lowering of the static water level. This well shall equipped with a two (2) inch opening for measuring depth to water. the well is flowing, a valve must be installed and maintained prevent waste. A totalizing meter must be installed and maintained the discharge pipeline near the point of diversion and accura measurements must be kept of water placed to beneficial use. T totalizing meter must be installed before any use of water begins, before the Proof of Completion of Work is filed. This source located within an area designated by the State Engineer, pursuant NRS 534.030. The State retains the right to regulate the use of t water herein granted at any and all times.
Compared sm/jk  Col/cms  Col/c
Compared sm/jk  Cl/cms  Cl/cms  February 28, 1995  Protested  APPROVAL  APPROVAL  OF STATE ENGINEER  This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:  This permit is issued subject to existing rights. It understood that the amount of water herein granted is only a temporal allowance and that the final water right obtained under this permically be dependent upon the amount of water actually placed beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall equipped with a two (2) inch opening for measuring depth to water, the well is flowing, a valve must be installed and maintained prevent waste. A totalizing meter must be installed and maintained the discharge pipeline near the point of diversion and accura measurements must be kept of water placed to beneficial use. Totalizing meter must be installed before any use of water begins, before the Proof of Completion of Work is filed. This source located within an area designated by the State Engineer, pursuant NRS 534.030. The State retains the right to regulate the use of t water herein granted at any and all times.
Protested  APPROVAL  APPROVAL  This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to to following limitations and conditions:  This permit is issued subject to existing rights. It understood that the amount of water herein granted is only a tempora allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall equipped with a two (2) inch opening for measuring depth to water. the well is flowing, a valve must be installed and maintained prevent waste. A totalizing meter must be installed and maintained the discharge pipeline near the point of diversion and accura measurements must be kept of water placed to beneficial use. Totalizing meter must be installed before any use of water begins, before the Proof of Completion of Work is filed. This source located within an area designated by the State Engineer, pursuant NRS 534.030. The State retains the right to regulate the use of the state of the proof of the state retains the right to regulate the use of the proof of the state retains the right to regulate the use of the proof of the state retains the right to regulate the use of the proof of the state retains the right to regulate the use of the proof of the state retains the right to regulate the use of the proof of the state retains the right to regulate the use of the proof of the proof of the state retains the right to regulate the use of the proof of th
APPROVAL  This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to to the following limitations and conditions:  This permit is issued subject to existing rights. It understood that the amount of water herein granted is only a tempora allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall equipped with a two (2) inch opening for measuring depth to water, the well is flowing, a valve must be installed and maintained prevent waste. A totalizing meter must be installed and maintained the discharge pipeline near the point of diversion and accura measurements must be kept of water placed to beneficial use. Totalizing meter must be installed before any use of water begins, before the Proof of Completion of Work is filed. This source located within an area designated by the State Engineer, pursuant NRS 534.030. The State retains the right to regulate the use of twater herein granted at any and all times.
This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to to following limitations and conditions:  This permit is issued subject to existing rights. It understood that the amount of water herein granted is only a tempora allowance and that the final water right obtained under this perm will be dependent upon the amount of water actually placed beneficial use. It is also understood that this right must allow f a reasonable lowering of the static water level. This well shall equipped with a two (2) inch opening for measuring depth to water. the well is flowing, a valve must be installed and maintained prevent waste. A totalizing meter must be installed and maintained the discharge pipeline near the point of diversion and accura measurements must be kept of water placed to beneficial use. T totalizing meter must be installed before any use of water begins, before the Proof of Completion of Work is filed. This source located within an area designated by the State Engineer, pursuant NRS 534.030. The State retains the right to regulate the use of t water herein granted at any and all times.
This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to following limitations and conditions:  This permit is issued subject to existing rights. It understood that the amount of water herein granted is only a tempora allowance and that the final water right obtained under this perm will be dependent upon the amount of water actually placed beneficial use. It is also understood that this right must allow f a reasonable lowering of the static water level. This well shall equipped with a two (2) inch opening for measuring depth to water. the well is flowing, a valve must be installed and maintained prevent waste. A totalizing meter must be installed and maintained the discharge pipeline near the point of diversion and accura measurements must be kept of water placed to beneficial use. T totalizing meter must be installed before any use of water begins, before the Proof of Completion of Work is filed. This source located within an area designated by the State Engineer, pursuant NRS 534.030. The State retains the right to regulate the use of t water herein granted at any and all times.
This permit is issued subject to existing rights. It understood that the amount of water herein granted is only a tempora allowance and that the final water right obtained under this perm will be dependent upon the amount of water actually placed beneficial use. It is also understood that this right must allow f a reasonable lowering of the static water level. This well shall equipped with a two (2) inch opening for measuring depth to water. the well is flowing, a valve must be installed and maintained prevent waste. A totalizing meter must be installed and maintained the discharge pipeline near the point of diversion and accura measurements must be kept of water placed to beneficial use. T totalizing meter must be installed before any use of water begins, before the Proof of Completion of Work is filed. This source located within an area designated by the State Engineer, pursuant NRS 534.030. The State retains the right to regulate the use of t water herein granted at any and all times.
will be dependent upon the amount of water actually placed beneficial use. It is also understood that this right must allow f a reasonable lowering of the static water level. This well shall equipped with a two (2) inch opening for measuring depth to water. the well is flowing, a valve must be installed and maintained prevent waste. A totalizing meter must be installed and maintained the discharge pipeline near the point of diversion and accura measurements must be kept of water placed to beneficial use. T totalizing meter must be installed before any use of water begins, before the Proof of Completion of Work is filed. This source located within an area designated by the State Engineer, pursuant NRS 534.030. The State retains the right to regulate the use of t water herein granted at any and all times.
the well is flowing, a valve must be installed and maintained prevent waste. A totalizing meter must be installed and maintained the discharge pipeline near the point of diversion and accura measurements must be kept of water placed to beneficial use. T totalizing meter must be installed before any use of water begins, before the Proof of Completion of Work is filed. This source located within an area designated by the State Engineer, pursuant NRS 534.030. The State retains the right to regulate the use of t water herein granted at any and all times.
measurements must be kept of water placed to beneficial use. T totalizing meter must be installed before any use of water begins, before the Proof of Completion of Work is filed. This source located within an area designated by the State Engineer, pursuant NRS 534.030. The State retains the right to regulate the use of t water herein granted at any and all times.
NRS 534.030. The State retains the right to regulate the use of twater herein granted at any and all times.
The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not
0.0223 , but not to exceed 1.0 exceed 1.0
acre-feet annually.
Work must be prosecuted with reasonable diligence and be completed on or beforeNovember 3, 1998
Proof of completion of work shall be filed before
Application of water to beneficial use shall be filed on or before
Proof of the application of water to beneficial use shall be filed on or before
Map in support of proof of beneficial use shall be filed on or before
4 mm A I 4000
State Engineer of Nevada, have hereunto set my hand and the seal of a
State Engineer of Nevada, have hereunto set my hand and the seal of a seal of
State Engineer of Nevada, have hereunto set my hand and the seal of a
State Engineer of Nevada, have hereunto set my hand and the seal of a seal of

## (PERMIT TERMS CONTINUED)

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

This permit is issued under the preferred use provisions of NRS Chapter 534. The manner of use of water under this permit is by nature of its activity a temporary use and any application to change the manner of use granted under this permit will be subject to additional determination and evaluation with respect to the permanent effects on existing rights and the resource within the groundwater basin.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

Monthly records shall be kept of the amount of water pumped from this well and the records submitted to the State Engineer on a quarterly basis within 15 days after the end of each calendar quarter.

